
Mental Health In America: The Need to Act B4Stage4



Paul Gionfriddo, President and CEO, MHA For Georgia Division of Behavioral Health Symposium, 10/8/15



Mental Health America



- Founded in 1909 by Clifford Beers.
- Formerly the National Mental Health Association.
- Gave birth to the mental health advocacy movement of the 20th century.
- 200+ affiliates in 41 states and DC (all independent nonprofits).
- 6,000 employees, <\$300 million in total budgets among MHA and all of its affiliates.



What We Didn't Know In 1979



We needed to....

- Focus on children.
- Invest more, not less.
- Eliminate the revolving door, not just create a new one.




The Current Policy Landscape: Just Like '79

- States cut \$4.6 billion from mental health budgets between 2009 and 2013.
- Medicaid expansion gap disproportionately affects adults with SMI.
- Serious mental illnesses are most frequently diseases of childhood, but children with serious mental illnesses rarely receive integrated health and education services.




When Budgets Get Cut, Who Gets Harmed?






How about Kids? Only 1 in 28 with SMI is ID'ed for Special Ed; the Lowest in 20+ Years




Source: US DOE, 2015

Mental Health America






We're Losing Too Many of Our Children.







What's the Alternative? The 21st Century Asylum?





Advancing the National Dialogue It's Time for a Change.

MHA: Working in Four Areas





Strategy #1: Focus on Access to Health





Strategy #2: Make MH Screening Ubiquitous

- Screening in primary care perceived as helpful 93% of the time;
- PCPs 3 times more likely to recognize MI symptoms and follow up;
- Post-screening treatment changes were made 40% of the time;
- Positive benefits persist one year later.

Sources: Christensen, et al, 2005; Pignone et al, 2002; O'Connor et al, 2009; Duffy et al, 2009.



MHA Online Screening Tools

Depression (PHQ-9)

Anxiety (GAD-7)

Bipolar

PTSD (PC-PTSD)

Youth Screen (PSC-YR)


Parent Screen (PSC)

Alcohol and Substance Use Screen (CAGE-AID)


Psychosis Screen (Ultra-High Risk) (PQ-B)


Work Health Survey






Screening Summary Breakdown






Almost All of Those Taking Psychosis Screening in Yr 2 Are At Risk



Psychosis RiskNo/Low Risk



N=2517, May-August, 2015




Source: MHA Screening, May-August, 2015




19

People Reporting Chronic Pain Who are Positive for a Mental Illness





Children and Mental Illness: Early Warning Signs



80.4% of youth taking youth screen were positive/at risk. Results of other screens not validated for youth.

Mental Health America

N=36,346 (May-July 2015). PTSD, SUD, and Parent Screens were <1% combined.

Implement the Free Care Rule

As of December, 2014, schools can now bill Medicaid for ubiquitous screening offered free to all students, for those students who are Medicaid-eligible.

http://www.medicaid.gov/federal-policyguidance/downloads/smd-medicaid-payment-for-servicesprovided-without-charge-free-care.pdf

"As a result, Federal Financial Participation (FFP) is available for Medicaid payments for care provided through providers that do not charge individuals for the service, as long as all other Medicaid requirements are met."



Strategy #3: Care Integration

- 80% of people with mental illnesses have a primary care provider.
- 70% of MH prescriptions are written by PCPs.
- Must address provider shortage.
- Reimbursement strategies will strategic rate increases lead to more providers?
- Reform 42 CFR Pt.2 you can't treat a whole person with half a record.
- Don't use police and sheriffs as EMTs, courts and jails as health care centers, or lawyers and judges as clinical care teams.

Strategy #4: Recovery as the Goal

- Even when cure is not possible, recovery is (e.g. heart disease).
- Identify realistic goals with the individual.
- Don't wait for a crisis to act.
- Offer meaningful educational, employment, and housing supports.
- Provide family supports, wrap-around services, and social supports.



Strategy #5: Use Peers To Promote Recovery to Health

30 States permit peer reimbursement, but few use it extensively. MHA initiative: nationally certified peers working in integrated health care settings as part of a clinical team.

Evidence-based: Cochrane Review, 2013 – found peers as effectively in promoting recovery as other clinical services.



What's the Alternative? Hospitalization?

Mood disorders ranking by age group as principle **inpatient** diagnosis:

Age 1-17

Age 18-44

Note: 4 of top 5 related to delivery

Age 45-64

Note: top four related to aging

Source: "Most Frequent Conditions in US Hospitals, 2010," AHRQ, January 2013


Mental Health America

#1

#3

#5

What's the Alternative? Homelessness?





B4Stage4 Is MHA's Overarching Message

Get help.

Mental Health America

Frame

Approximately 1 in 5 U.S. adults has a mental health disorder.



Get screened.

B4Stage4

Get informed.



MENTAL HEALTH MONTH 2015 Be Part of the B4Stage4 Action

Join the Conversation Text, Talk, Act on May 27th

3 STEPS to Text, Talk, Act



Gather 3-4

people and text

"START' to 89800

Standard rates may apply.





Be part of the change!

For more information go to: www.creatingcommunitysolutions.org/texttalkact

Talk with your

group using the text-enabled

questions.

www.mentalhealthamerica.net/may



Why Intervene B4Stage 4?

Stages of Mental Health Conditions

Stage 1

Stage 2

Mild symptoms and warning signs

Symptoms increase in frequency and severity and interfere with life activities and roles

Symptoms worsen with relapsing and recurring episodes accompanied by serious disruption in life activities and roles

Symptoms are persistent and severe and have jeopardized one's life



Stage 4

Stage 3

What Everyone Wants





THANK YOU!





Paul Gionfriddo Still a handsome guy!

